

THE GLOBAL KIDNEY HEALTH ATLAS

<Congress title>

Date

Overview

- Aim
- Methods
- Key Results
- Implications

Aim of the Global Kidney Health Atlas



To understand, compare and monitor how different countries around the world detect, treat, monitor and advocate for people with kidney disease (AKI or CKD)

Key focus on availability, accessibility, affordability and quality of ESKD care

Global Kidney Health Atlas



Design and Scope


Desk research (across countries and regions)

- Published and grey literature review
- Systematic review ESKD burden and outcomes
- Data extraction from major renal registries (USRDS, ERA-EDTA) and relevant national registries where available
- Scoping review of KRT cost estimates

Online questionnaire-based survey July – September 2018

- 3 languages (English, French, Spanish)
- Across 182 countries
- ≥ 3 stakeholders per country
 - National nephrology society leadership
 - Healthcare policymakers
 - Patients / patient advocacy groups
- Discrepancies resolved by follow-up conferences with regional and country nephrology leaders

Overall Survey Components



Overall GKHA Response


■ Participated in survey ■ Did not participate in survey



160 countries (88%)
99% world's population
317 individuals (69%) response
3 respondents/country (IQR 2-4)

**113 countries participated
in both GKHA surveys**

Results presented by ISN regions




ISN region: Eastern & Central Europe



Demographics

Country	World bank ranking	Area (sq km)	Total population (2018)	GDP (PPP) (\$ billion)	Total health expenditures (% of GDP)
Albania	Upper middle income	28,748	3,057,220	36.01	6.8
Bosnia and Herzegovina	Upper middle income	51,197	3,849,891	44.83	9.2
Bulgaria	Upper middle income	110,789	7,057,504	153.5	8.2
Croatia	High income	56,594	4,270,480	102.1	7.2
Cyprus	High income	9,251	1,237,088	31.78	6.9
Czech Republic	High income	78,867	10,686,269	375.9	7.1
Estonia	High income	45,228	1,244,288	41.65	6.7
Hungary	High income	93,028	9,825,704	289.6	7.2
Kosovo	Upper middle income	10,887	1,907,592	19.6	-
Latvia	High income	64,589	1,923,559	54.02	5.8
Lithuania	High income	65,300	2,793,284	91.47	6.5
Macedonia, FYR	Upper middle income	25,713	2,118,945	31.03	6.1
Moldova	Lower middle income	33,851	3,437,720	23.72	10.2
Montenegro	Upper middle income	13,812	614,249	11.08	6.0
Poland	High income	312,685	38,420,687	1126	6.3
Romania	Upper middle income	238,391	21,457,116	483.4	5.0
Serbia	Upper middle income	77,474	7,078,110	105.7	9.4
Slovak Republic	High income	49,035	5,445,040	179.7	6.9
Slovenia	High income	20,273	2,102,126	71.23	8.5
Turkey	Upper middle income	783,562	81,257,239	2186	4.1



‘-’: data not reported/unavailable

CKD and its risk factors burden

Country	CKD Prevalence % (95% CI)	Death attributed to CKD % (95% CI)	DALYS attributed to CKD % (95% CI)	Obesity % (95% CI)	Increased BP % (95% CI)	Smoking % (95% CI)
Albania	10.18 (9.43 - 11.05)	1.67 (1.52 - 1.96)	1.31 (1.17 - 1.46)	22.3 (17.4 - 27.4)	29.0 (22.4 - 36.2)	15.6 (14.0 - 17.3)
Bosnia and Herzegovina	12.94 (11.97 - 14.06)	1.63 (1.51 - 1.76)	1.28 (1.17 - 1.39)	19.4 (15.1 - 24.1)	30.8 (24.5 - 37.6)	30.5 (27.3 - 33.7)
Bulgaria	14.32 (13.28 - 15.5)	1.34 (1.27 - 1.42)	1.25 (1.17 - 1.35)	27.4 (21.8 - 33.3)	28.4 (21.7 - 35.5)	30.3 (27.2 - 33.3)
Croatia	13.64 (12.61 - 14.79)	1.62 (1.54 - 1.71)	1.11 (1.02 - 1.2)	27.1 (22.4 - 32.1)	32.4 (26.4 - 39.3)	27.0 (24.1 - 30.1)
Cyprus	8.95 (8.33 - 9.67)	3.3 (2.5 - 3.61)	1.55 (1.24 - 1.77)	22.6 (17.4 - 28.3)	19.8 (14.1 - 26.7)	26.3 (23.9 - 28.9)
Czech Republic	13.52 (12.52 - 14.69)	1.14 (1.08 - 1.2)	0.9 (0.83 - 0.97)	28.5 (23.5 - 33.9)	27.9 (21.5 - 34.7)	24.5 (21.9 - 27.2)
Estonia	20.64 (19.16 - 22.22)	1.76 (1.63 - 1.88)	1.16 (1.06 - 1.26)	23.8 (19.8 - 28.1)	27.4 (22.3 - 32.9)	22.2 (20.1 - 24.4)
Hungary	14.09 (13.02 - 15.28)	1.27 (1.22 - 1.33)	0.94 (0.88 - 1)	28.6 (23.5 - 34.0)	30.0 (23.3 - 36.9)	25.1 (22.2 - 28.0)
Kosovo	-	-	-	-	-	-
Latvia	20.67 (19.2 - 22.42)	0.92 (0.87 - 0.98)	0.84 (0.79 - 0.91)	25.7 (19.9 - 31.7)	29.4 (22.6 - 36.9)	26.9 (24.7 - 29.2)
Lithuania	19.47 (18.03 - 21.11)	0.62 (0.59 - 0.65)	0.63 (0.59 - 0.68)	28.4 (23.2 - 33.8)	29.3 (22.4 - 36.6)	22.6 (20.4 - 24.9)
Macedonia, FYR	12.03 (11.16 - 13.06)	1.61 (1.48 - 1.76)	1.31 (1.19 - 1.44)	23.9 (18.4 - 29.6)	28.5 (21.9 - 36.1)	31.4 (28.3 - 34.7)
Moldova	16.28 (15.03 - 17.62)	0.5 (0.47 - 0.52)	0.61 (0.57 - 0.65)	20.1 (15.1 - 25.5)	29.8 (23.1 - 37.0)	19.4 (18.0 - 21.2)
Montenegro	11.90 (11.02 - 12.90)	1.95 (1.78 - 2.12)	1.43 (1.29 - 1.58)	24.9 (19.2 - 30.7)	29.1 (22.4 - 36.1)	31.0 (28.0 - 34.0)
Poland	11.73 (10.77 - 12.9)	0.87 (0.83 - 0.92)	0.74 (0.68 - 0.8)	25.6 (21.9 - 29.5)	28.7 (23.0 - 35.0)	24.1 (21.7 - 26.8)
Romania	12.26 (11.26 - 13.33)	1.17 (1.11 - 1.22)	1 (0.94 - 1.07)	24.5 (20.0 - 29.3)	30.0 (23.4 - 37.3)	21.9 (19.6 - 24.4)
Serbia	13.32 (12.38 - 14.42)	1.93 (1.61 - 2.07)	1.45 (1.27 - 1.59)	23.5 (19.1 - 28.1)	29.5 (23.4 - 35.6)	23.8 (20.9 - 27.0)
Slovak Republic	11.93 (11.04 - 12.94)	1.35 (1.26 - 1.45)	1.03 (0.94 - 1.12)	22.4 (17.9 - 27.3)	28.5 (22.5 - 34.9)	20.9 (18.3 - 23.6)
Slovenia	13.4 (12.41 - 14.57)	1.07 (1 - 1.15)	0.75 (0.69 - 0.81)	22.5 (17.2 - 28.2)	30.5 (23.9 - 37.9)	20.2 (17.8 - 22.7)
Turkey	11.83 (10.92 - 12.94)	3.77 (3.41 - 4.02)	2.18 (1.96 - 2.38)	32.2 (28.4 - 36.1)	20.3 (15.9 - 24.9)	22.9 (20.1 - 26.0)

Abbreviations:


CKD (Chronic Kidney Disease),
DALYS (disability-adjusted life years),
BP (blood pressure),
CI (confidence interval)

Data source: GBD study database
(<http://www.healthdata.org/gbd>),
WHO data observatory
(<https://www.who.int/gho/en/>)

' - ': data not reported/unavailable

Burden of ESKD

Prevalence of treated ESKD



<433.0 pmp 433.0-759.0 pmp 759.1-1048.0 pmp >1048.0 pmp Data not reported

Treated ESKD: all dialysis + transplant

* pmp (per million population)


Data source: ERA-EDTA Registry Annual Report 2016/2017, Jain et al. (JASN) 2012, 2017/2018 USRDS Annual Data Report

'-': data not reported/unavailable

Country	Treated ESKD		Chronic dialysis (HD+PD)		Chronic Hemodialysis		Chronic Peritoneal dialysis	
	Incidence	Prevalence	Incidence	Prevalence	Incidence	Prevalence	Incidence	Prevalence
Albania	90	547	-	335	-	-	-	-
Bosnia and Herzegovina	108	749	107.8	652	105.3	627.6	2.5	24.4
Bulgaria	170	627	-	528	-	300.3	-	21.4
Croatia	191	1248	-	620.3	-	610.7	-	54.3
Cyprus	236	-	-	23.5	-	21	-	2.5
Czech Republic	232	1176	-	632	-	505.9	-	45.2
Estonia	66	720	85.1	302.5	70.7	260.7	14.4	41.8
Hungary	222	999	-	655	-	512	-	68.3
Kosovo	190	319	-	-	-	-	-	-
Latvia	114	684	-	275.5	-	156.8	-	49.5
Lithuania	120	796	-	491.2	-	364.6	-	16.8
Macedonia, FYR	181	871	-	721	-	608.8	-	13.8
Moldova	-	-	-	67.1	-	66.6	-	0.5
Montenegro	-	-	-	-	-	-	-	-
Poland	170	788	-	524	-	407	-	28.8
Romania	187	1143	186.6	1043.4	183	973.2	3.6	70.2
Serbia	100	712	95.8	598.1	81.9	536.3	13.9	61.8
Slovak Republic	170	655	-	620	-	532.1	-	37
Slovenia	126.2	1008.3	112.7	680.1	101.5	654.9	11.2	25.2
Turkey	146	957	-	754	122.5	531.2	-	81.6

Burden of ESKD (cont'd)

Incidence of kidney transplantation



* pmp (per million population)

Data source: ERA-EDTA Registry Annual Report 2016/2017, Jain et al. (JASN) 2012, 2017/2018 USRDS Annual Data Report

'-': data not reported/unavailable

Country	Kidney transplantation				
	Incidence overall	Prevalence overall	Incidence of deceased donor	Incidence of living donor	Incidence of pre-emptive
Albania	3.1	80	0	3.1	-
Bosnia and Herzegovina	4.74	96.9	2.63	2.11	0
Bulgaria	5.63	83	4.51	1.13	-
Croatia	39.29	-	36.67	2.62	-
Cyprus	15.83	-	8.33	7.5	-
Czech Republic	44.25	-	39.43	4.81	-
Estonia	26.92	396	23.08	3.85	-
Hungary	30.62	344	26.49	4.12	-
Kosovo	-	-	-	-	-
Latvia	26.32	285	19.47	6.84	-
Lithuania	26.21	288	24.14	2.07	-
Macedonia, FYR	-	102	-	-	-
Moldova	-	-	-	-	-
Montenegro	-	-	-	-	-
Poland	28.56	282	27.09	1.47	-
Romania	7.56	98.4	4.97	2.59	0.7
Serbia	11.69	112.8	8.31	3.37	3.7
Slovak Republic	28.33	302	26.3	2.04	-
Slovenia	22.86	328.2	21.9	0.95	1.9
Turkey	43	179	9.85	33.15	-

Annual cost of kidney replacement therapy components

Country	Hemodialysis	Peritoneal dialysis	Kidney Transplant (First year)	Kidney Transplant (later years)	HD/PD cost ratio
Albania	15,081	11,078	-	-	1.36
Bosnia and Herzegovina	17,536	41,029	-	-	0.43
Bulgaria	26,598	26,871	-	-	0.99
Croatia	27,015	22,644	-	-	1.19
Cyprus	-	-	-	-	-
Czech Republic	21,709	24,296	-	-	0.89
Estonia	36,349	47,893	-	-	0.76
Hungary	12,673	14,155	43,045	56,844	0.90
Kosovo	-	-	-	-	-
Latvia	15,456	16,187	-	-	0.95
Lithuania	16,907	20,104	-	-	0.84
Macedonia, FYR	16,133	18,210	-	-	0.89
Moldova	-	-	-	-	-
Montenegro	-	-	-	-	-
Poland	16,899	21,488	-	-	0.79
Romania	18,445	14,271	-	-	1.29
Serbia	31,269	18,258	16,385	14,021	1.71
Slovak Republic	21,744	24,617	-	-	0.88
Slovenia	49,720	33,644	109,180	14,124	1.48
Turkey	27,290	20,786	30,962	13,273	1.31

* Cost is in \$US 2016

Abbreviations:

HD (hemodialysis),
PD (peritoneal dialysis)

Data source: Cala et al. (2007), Erek et al. (2004), Gazdikova K. et al. (2003), Iannazzo et al. (2012), Kalo et al. (2001), Kandus et al. (2009), Mogyorosy et al. (2003), Neil et al. (2009), Perovic et al. (2009), Ursea et al. (1997), Vaiciuniene et al. (2005), van der Tol et al. (2019), Vazellov et al. (2004), Wordsworth et al. (2005)

‘ – ’ : data not reported/unavailable

Survey Response



- 18 of the 20 countries in Eastern and Central Europe (95%) responded to the 2018 survey
- This represents 99.7% of the region's population

Country level scorecard

Countries	Availability of KRT and CKM				Funding for Medications		Availability and Distribution of Registry				Advocacy Group			Nephrology Workforce (PMP)	
	Chronic hemodialysis	Chronic peritoneal dialysis	Kidney transplantation	CKM	Dialysis medications	Transplant medications	CKD	Dialysis	Transplantation	AKI	CKD	AKI	ESKD/RRT	Nephrologists	Nephrologist trainees
Eastern & Central Europe															
Albania	2017													23.11	2.97
	2019													53.97	4.42
Bosnia and Herzegovina	2017													12.93	2.59
	2019													15.58	2.60
Bulgaria	2017													31.88	8.50
	2019													26.88	13.44
Croatia	2017													39.81	9.95
	2019													20.21	2.43
Cyprus	2017													23.49	4.70
	2019													28.07	3.74
Czech Republic	2017													15.01	3.16
	2019													14.47	2.81
Estonia	2017													21.72	3.03
	2019													30.53	1.02
Hungary	2017													22.54	3.67
	2019													20.13	2.01
Kosovo	2017													23.39	1.56
	2019													69.34	6.24
Latvia	2017													50.12	3.94
	2019														
Lithuania	2017														
	2019														
Nephrologists density							<1.2 PMP		1.2–10.0 PMP		10.1–22.9 PMP			>22.9 PMP	
Nephrology trainees density							<0.3 PMP		0.3–1.4 PMP		1.5–3.7 PMP			>3.7 PMP	

Yes

No

N/A

Abbreviations

KRT: kidney replacement therapy

CKM: conservative kidney management

CKD: chronic kidney disease

AKI: acute kidney injury

ESKD: end stage kidney disease

RRT: renal replacement therapy

Country level scorecard

Countries	Availability of KRT and CKM				Funding for Medications		Availability and Distribution of Registry				Advocacy Group			Nephrology Workforce (PMP)	
	Chronic hemodialysis	Chronic peritoneal dialysis	Kidney transplantation	CKM	Dialysis medications	Transplant medications	CKD	Dialysis	Transplantation	AKI	CKD	AKI	ESKD/RTT	Nephrologists	Nephrologist trainees
Macedonia	2017													9.54	4.77
	2019													12.27	2.83
Moldova	2017													9.02	7.33
	2019													11.64	1.45
Montenegro	2017													18.55	4.64
	2019														
Poland	2017													25.93	3.89
	2019													26.03	6.51
Romania	2017													15.46	2.88
	2019													25.63	3.26
Serbia	2017													20.90	9.75
	2019													15.54	0.71
Slovak Republic	2017													27.55	0.92
	2019													36.73	3.67
Slovenia	2017													40.33	7.56
	2019													40.44	14.27
Turkey	2017													6.30	1.89
	2019													8.00	1.08
Nephrologists density							<1.2 PMP	1.2–10.0 PMP	10.1–22.9 PMP	>22.9 PMP					
Nephrology trainees density							<0.3 PMP	0.3–1.4 PMP	1.5–3.7 PMP	>3.7 PMP					

Yes

No

N/A

Abbreviations

KRT: kidney replacement therapy

CKM: conservative kidney management


CKD: chronic kidney disease

AKI: acute kidney injury

ESKD: end stage kidney disease

RTT: renal replacement therapy


Funding for non-dialysis CKD



Country	Publicly funded by govt; free at the point of delivery	Publicly funded by govt but with some fees at the point of delivery	Mix of public and private funding systems	Solely private and out-of-pocket	Solely private through health insurance	Multiple systems	Other
Albania	X						
Bosnia and Herzegovina		X					
Bulgaria		X					
Croatia	X						
Cyprus			X				
Czech Republic	X						
Estonia	X						
Hungary	X						
Kosovo	X						
Latvia		X					
Lithuania	X						
Macedonia, FYR		X					
Moldova	X						
Poland	X						
Romania			X				
Serbia	X						
Slovak Republic							X
Slovenia	X						
Turkey			X				

X : Yes


Funding for kidney replacement therapy (KRT)



Country	Publicly funded by govt; free at the point of delivery	Publicly funded by govt but with some fees at the point of delivery	Mix of public and private funding systems	Solely private and out-of-pocket	Solely private through health insurance	Multiple systems	N/A (RRT is not available in my country)	Other
Albania			X					
Bosnia and Herzegovina			X					
Bulgaria		X						
Croatia	X							
Cyprus	X							
Czech Republic	X							
Estonia	X							
Hungary	X							
Kosovo	X							
Latvia	X							
Lithuania	X							
Macedonia, FYR	X							
Moldova	X							
Poland	X							
Romania	X							
Serbia	X							
Slovak Republic								X
Slovenia	X							
Turkey	X							

X : Yes

Providers primarily responsible for ESKD care



Country	Nephrologists	Primary care physicians	Nurse practitioners or specialized nurses	Multidisciplinary teams	Health officers/ extension workers	Other
Albania	X					
Bosnia and Herzegovina	X					
Bulgaria	X	X				
Croatia	X					
Cyprus	X					
Czech Republic	X					
Estonia	X			X		
Hungary	X					
Kosovo	X					
Latvia	X					
Lithuania	X					
Macedonia, FYR	X					
Moldova	X	X				
Poland	X					
Romania	X	X				
Serbia	X					
Slovak Republic	X					
Slovenia	X					
Turkey	X	X				

X : Yes

Shortage of ESKD care providers


Country	Nephrologists	Transplant surgeons	Surgeons (HD access)	Surgeons (PD access)	Interventional radiologists (HD access)	Interventional radiologists (PD access)	Dietitians	Laboratory technicians	Radiologists (ultrasound)	Vascular access coordinators	Counsellors/psychologists	Transplant coordinators	Dialysis nurses	Dialysis technicians
Albania														
Bosnia and Herzegovina														
Bulgaria														
Croatia														
Cyprus														
Czech Republic														
Estonia														
Hungary														
Kosovo														
Latvia														
Lithuania														
Macedonia, FYR														
Moldova														
Poland														
Romania														
Serbia														
Slovak Republic														
Slovenia														
Turkey														

No shortage


Shortage

Prevalence of nephrologists and trainees

Nephrologists



Nephrology trainees




Country	Nephrologists PMP	Nephrology trainees PMP
Albania	53.97	4.42
Bosnia and Herzegovina	15.58	2.60
Bulgaria	31.88	8.50
Croatia	39.81	9.95
Cyprus	20.21	2.43
Czech Republic	28.07	3.74
Estonia	14.47	2.81
Hungary	30.53	1.02
Kosovo	22.54	3.67
Latvia	23.39	1.56
Lithuania	50.12	3.94
Macedonia, FYR	12.27	2.83
Moldova	11.64	1.45
Poland	26.03	6.51
Romania	25.63	3.26
Serbia	15.54	0.71
Slovak Republic	36.73	3.67
Slovenia	40.44	14.27
Turkey	8.00	1.08

<1.2 pmp 1.2–10.0 pmp 10.1–22.9 pmp >22.9 pmp Data not reported

<0.3 pmp 0.3–1.4 pmp 1.5–3.7 pmp >3.7 pmp Data not reported

Capacity for chronic dialysis (HD)

Chronic HD centers




■ <1.2 pmp ■ 1.2–4.5 pmp ■ 4.6–9.9 pmp ■ >9.9 pmp ■ Data not reported

- Chronic HD services are available in all countries of the region
- The Eastern & Central Europe average of HD treatment centers is 9.00 pmp

Country	Chronic HD Centres PMP
Albania	3.93
Bosnia and Herzegovina	7.01
Bulgaria	11.41
Croatia	10.77
Cyprus	4.04
Czech Republic	10.29
Estonia	7.23
Hungary	6.51
Kosovo	4.72
Latvia	12.48
Lithuania	22.20
Macedonia, FYR	9.91
Moldova	2.91
Poland	6.51
Romania	6.52
Serbia	9.18
Slovak Republic	13.41
Slovenia	9.51
Turkey	10.52

Capacity for chronic dialysis (PD)

Chronic PD centers



- Chronic PD services are available in all 19 (100%) countries of the region
- The Eastern & Central Europe average of PD treatment centers is 1.92 pmp


Country	Chronic PD Centres PMP
Albania	0.33
Bosnia and Herzegovina	1.30
Bulgaria	2.27
Croatia	5.85
Cyprus	4.04
Czech Republic	4.68
Estonia	2.41
Hungary	3.05
Kosovo	3.67
Latvia	2.60
Lithuania	1.07
Macedonia, FYR	0.71
Moldova	-
Poland	1.30
Romania	1.86
Serbia	4.66
Slovak Republic	3.67
Slovenia	3.81
Turkey	1.23

‘ - ’ : data not reported/unavailable

Chronic PD not provided <0.4 pmp 0.4–1.3 pmp 1.4–2.5 pmp >2.5 pmp Data not reported

Capacity for Kidney Transplantation

Kidney transplantation centers



■ Kidney transplantation not provided ■ <0.2 pmp ■ 0.2–0.4 pmp ■ 0.5–0.7 pmp ■ >0.7 pmp
■ Data not reported

- Kidney transplantation services are available in 18 (95%) countries of the region
- The Eastern & Central Europe average of Kidney transplantation centers is 0.62 pmp


Country	Kidney Transplantation availability	Transplant centers PMP
Albania	X	0.82
Bosnia and Herzegovina	X	0.78
Bulgaria	X	0.35
Croatia	X	0.94
Cyprus	X	0.81
Czech Republic	X	0.47
Estonia	X	0.80
Hungary	X	0.41
Kosovo		-
Latvia	X	0.52
Lithuania	X	0.72
Macedonia, FYR	X	0.71
Moldova	X	0.29
Poland	X	0.55
Romania	X	0.16
Serbia	X	0.71
Slovak Republic	X	0.73
Slovenia	X	0.48
Turkey	X	0.82

X : Yes


'-': data not reported/unavailable

Capacity for Kidney Transplantation (cont'd)

Transplant donor type



Transplant waitlist




Country	Donor type		Transplant waitlist		
	Live donors only	Combination	National	Regional only	None
Albania	X		X		
Bosnia and Herzegovina		X		X	
Bulgaria		X	X		
Croatia		X	X		
Cyprus		X	X		
Czech Republic		X	X		
Estonia		X	X		
Hungary		X	X		
Kosovo					
Latvia		X	X		
Lithuania		X	X		
Macedonia, FYR	X		X		
Moldova		X	X		
Poland		X	X		
Romania		X		X	
Serbia		X	X		
Slovak Republic		X	X		
Slovenia		X	X		
Turkey		X	X		


X : Yes

Availability of services within dialysis care

HD frequency




PD frequency



Country	HD frequency a center-based service that involves treatment 3x week/3-4x hours					PD frequency ability to do adequate exchanges 3-4x day (or equivalent cycles on automated PD)				
	Generally available	Generally not available	Never	Unknown	N/A (dialysis not provided)	Generally available	Generally not available	Never	Unknown	N/A (dialysis not provided)
Albania	X					X				
Bosnia and Herzegovina	X					X				
Bulgaria	X					X				
Croatia	X					X				
Cyprus	X					X				
Czech Republic	X					X				
Estonia	X					X				
Hungary	X					X				
Kosovo	X					X				
Latvia	X					X				
Lithuania	X					X				
Macedonia, FYR	X					X				
Moldova	X						X			
Poland	X					X				
Romania	X					X				
Serbia	X					X				
Slovak Republic	X					X				
Slovenia	X					X				
Turkey	X					X				

X : Yes

Availability of Home hemodialysis




Country	Availability of Home hemodialysis				
	Generally available	Generally not available	Never	Unknown	N/A (dialysis not provided)
Albania			X		
Bosnia and Herzegovina			X		
Bulgaria			X		
Croatia		X			
Cyprus			X		
Czech Republic		X			
Estonia			X		
Hungary			X		
Kosovo		X			
Latvia			X		
Lithuania			X		
Macedonia, FYR		X			
Moldova			X		
Poland		X			
Romania			X		
Serbia		X			
Slovak Republic		X			
Slovenia			X		
Turkey		X			


X : Yes

Capacity for conservative kidney management (CKM)

Choice-restricted CKM




Chosen or medically advised CKM



Country	Established choice-restricted conservative care					Established conservative care that is chosen or medically advised				
	Generally available	Generally not available	Never	Unknown	N/A (conservative care not available)	Generally available	Generally not available	Never	Unknown	N/A (conservative care not available)
Albania	X					X				
Bosnia and Herzegovina	X					X				
Bulgaria	X					X				
Croatia			X			X				
Cyprus					X	X				
Czech Republic	X					X				
Estonia	X					X				
Hungary	X					X				
Kosovo	X					X				
Latvia		X					X			
Lithuania					X					X
Macedonia, FYR	X						X			
Moldova				X		X				
Poland	X					X				
Romania		X				X				
Serbia	X					X				
Slovak Republic			X			X				
Slovenia	X					X				
Turkey		X					X			

X : Yes

Availability of official registry



Country	CKD	Dialysis	Transplant	AKI
Albania		X	X	
Bosnia and Herzegovina		X	X	
Bulgaria		X	X	
Croatia		X	X	
Cyprus		X	X	
Czech Republic		X	X	
Estonia		X	X	
Hungary		X	X	
Kosovo				
Latvia		X	X	
Lithuania		X	X	
Macedonia, FYR		X	X	
Moldova		X	X	X
Poland		X	X	
Romania		X		
Serbia		X	X	
Slovak Republic	X		X	
Slovenia		X	X	X
Turkey		X	X	

X : Yes

Summary of 2019 GKHA findings



- KRT availability, access, and quality is high in the region
- Conservative kidney management is available; delivered as chosen or medically-advised in more than half of countries
- Government funding for kidney care is high
- Many registries for advanced kidney disease, few for CKD and AKI
- High nephrologist/trainee density; however many workforce limitations noted, including nephrologists
- Moderate advocacy for kidney disease in Eastern and Central Europe

Implications

- Increase health care financing for ESKD prevention and management
- Address workforce shortages through multidisciplinary teams and telemedicine
- Incorporate the collection and reporting of quality indicators in ESKD care
- Expand health information systems to prevent and manage ESKD
- Promote ESKD prevention and treatment by implementing policies, strategies, and advocacy, and mitigating barriers

To access the Atlas report:



www.theisn.org/global-atlas